



深圳格林威电子
GREENWAYCS

Tel: +0755-29756655

Fax: +0755-29756646

接线盒/Junction Box M6332



ADD: Building 90, 2nd Industrial area, Lisonglang Community, Gongming Street, Guangming District, Shenzhen, China

中国·广东省·深圳市·光明区公明街道李松荫社区第二工业区 90 栋

Website: www.greenwaycs.com




产品参数/Product parameters

型号 Model	M6332
壳体 Housing	防火阻燃 Fire and flame retardant UL 94V-2
连接件 Conductor	铜合金 Copper alloy
产品种类 Product category	接线盒带 863-3快速接线端子 Junction box with 863-3 Push Wire Connector
额定电流 Rated power	16A
额定电压 Rated voltage	450VAC
接线范围 Wiring range	0.5-0.75mm ²
工作温度 Working	T100
产品尺寸 Product Size 参考实际尺寸	85.9*41.4*27mm Refer to actual
认证 Certification	CE RoHS
包装 Package 散件 Spare parts	接线盒、接线端子、螺丝 Junction box, terminal block, screws



产品图纸/Product drawings



深圳市格林威电子有限公司

工程 部 (签名)	模具 部 (签名)	审 核 (签名)	年、月、日 (年月日)	料 号		产 品 图
谢东						M6332