



深圳格林威电子
GREENWAYCS

Tel: +0755-29756655

Fax: +0755-29756646

接线盒/Junction Box MK1283



ADD: Building 90, 2nd Industrial area, Lisonglang Community, Gongming Street, Guangming District, Shenzhen, China

中国·广东省·深圳市·光明区公明街道李松荫社区第二工业区 90 栋

Website: www.greenwaycs.com




产品参数/Product parameters

型号 Model	MK1283
壳体 Housing	防火阻燃 Fire and flame retardant UL 94V-2
连接件 Conductor	铜合金 Copper alloy
产品种类 Product category	接线盒带 3P 端子 Junction box with 3P terminal
额定电流 Rated power	10A
额定电压 Rated voltage	250VAC
接线范围 Wiring range	0.5-1.5mm ²
工作温度 Working	T100
产品尺寸 Product Size 参考实际尺寸	130mm*25mm*11mm Refer to actual
认证 Certification	ENEC CE CQC RoHS
包装 Package 散件 Spare parts	接线盒、接线端子、尾管 Junction box, terminal block, tail pipe



产品图纸/Product drawings



SECTION B-B

深圳市格林威电子有限公司

工程部 (签名)	模具部 (签名)	审核 (签名)	年、月、日 (年月日)	料号	产品图
谢东					MK1283