




深圳格林威电子
GREENWAYCS

Tel: +0755-29756655

Fax: +0755-29756646

无螺纹接线器/Push wire connector

863-5



ADD: Building 90, 2nd Industrial area, Lisonglang Community, Gongming Street, Guangming District, Shenzhen, China

中国·广东省·深圳市·光明区公明街道李松荫社区第二工业区 90 栋

Website: www.greenwaycs.com





产品参数/Technical data




型号 Model	863-5
壳体 Housing	防火阻燃 Fire and flame retardant UL 94V-2
连接件 Conductor	铜合金 Copper alloy
产品种类 Product category	快速接线器 Push wire connector
额定电流 Rated power	16A
额定电压 Rated voltage	450VAC(IEC) 300VAC(ETL)
接线范围 Wiring range	0.5-2.5mm ²
工作温度 Working	T110(IEC) T75(ETL)
产品尺寸 Product Size 参考实际尺寸	49.8mm*25.5mm*17.6mm Refer to actual
认证 Certification	ENEC,CE,ETL,NSW,UKCA,CB,RoHS
包装 Package	50PCS/PE bag 1500PCS/Carton



产品图纸/Product drawings



SECTION B-B



SECTION A-A

深圳市格林威电子有限公司

工程 部 (签名)	模具 部 (签名)	审 核 (签名)	年、月、日 (年月日)	料 号		产 品 图
谢东						863-5