



深圳格林威电子
GREENWAYCS

Tel:+0755-29756655

Fax:+0755-29756646

接线盒/Junction Box

777



ADD: Building 90, 2nd Industrial area, Lisonglang Community, Gongming Street, Guangming District, Shenzhen, China

中国·广东省·深圳市·光明区公明街道李松荫社区第二工业区 90 栋

Website: www.greenwaycs.com




产品参数/Product parameters

型号 Model	777		
壳体 Housing	防火阻燃 Fire and flame retardant UL 94V-2		
额定电流 Rated power	2A	7A	1A
额定电压 Rated voltage	250VAC (IEC)	125VAC (PSE)	125VAC (ETL)
工作温度 Working	T55		
公共技术接口 PTI	175V		
适用线缆 Applicable Cord	2*0.5mm²	2*0.75mm²	
	2468# Electronic wire	2464# Electronic wire	
产品尺寸 Product Size 参考实际尺寸	70.9*29.3mm Refer to actual		
认证 Certification	ENEC,ETL,UKCA,CB,CE,CQC,RoHS		
操作循环次数 Number of Operation Cycles	10000(IEC,PSE) 6000(ETL)		



产品图纸/Product drawings



深圳市格林威电子有限公司

工程部 (签名)	模具部 (签名)	审核 (签名)	年、月、日 (年月日)	料号		产品图
谢东						777