



深圳格林威电子
GREENWAYCS

Tel: +0755-29756655

Fax: +0755-29756646

接线盒/Junction Box

M632



ADD: Building 90, 2nd Industrial area, Lisonglang Community, Gongming Street, Guangming District, Shenzhen, China

中国·广东省·深圳市·光明区公明街道李松荫社区第二工业区 90 栋

Website: www.greenwaycs.com







产品参数/Product parameters

型号 Model	M632
壳体 Housing	防火阻燃 Fire and flame retardant UL 94V-2
防护等级 IP code	IP20
产品种类 Product category	接线盒带 2P 端子 Junction box with 2P terminal
额定电流 Rated power	16A
额定电压 Rated voltage	450VAC
固体 Solid	0.5~2.5mm ²
工作温度 Working	T100
产品尺寸 Product Size 参考实际尺寸	66.4*28.1*25.3mm Refer to actual
认证 Certification	CE RoHS
包装 Package 散件 Spare parts	接线盒、接线端子、M3*9 螺丝 Junction box, terminal block,screws



产品图纸/Product drawings



参数说明:

型号: M632

电流: 16A

电压: 450VAC

工作温度: - 5°C ~ + 100°C

深圳市格林威电子有限公司

工程部 (签名)	模具部 (签名)	审核 (签名)	年、月、日 (年月日)	料号		产品图
谢东						M632