



深圳格林威电子  
GREENWAYCS

Tel: +0755-29756655

Fax: +0755-29756646

## M695保险丝型/Fuse type



RoHS

ADD: Building 90, 2nd Industrial area, Lisonglang Community, Gongming Street, Guangming District, Shenzhen, China

中国·广东省·深圳市·光明区公明街道李松荫社区第二工业区 90 栋

Website: [www.greenwaycs.com](http://www.greenwaycs.com)




产品参数/Technical data

|                                |                                          |                            |
|--------------------------------|------------------------------------------|----------------------------|
| 型号 Model                       | M695                                     |                            |
| 壳体 Housing                     | 防火阻燃<br>Fire and flame retardant UL94V-2 |                            |
| 连接件 Conductor                  | 铜 Copper                                 |                            |
| 额定 Rated                       | 输入 Input                                 | 输出 Output                  |
|                                | 80A 500VAC(IEC)                          | 16A 450VAC(IEC)            |
| 额定连接 Rated connecting          | 80A                                      | 16A                        |
|                                | 3*1.5~4*25mm <sup>2</sup>                | 2*0.5~2*1.5mm <sup>2</sup> |
| 防护等级 IP code                   | IP54                                     |                            |
| 工作 Working                     | -5℃ ~ - 60℃                              |                            |
| 产品尺寸 Product Size<br>(参考实际尺寸图) | 293*89.9mm (Refer to actual drawing)     |                            |
| 认证 Certification               | ETL ROHS                                 |                            |



产品图纸/Product drawings



深圳市格林威电子有限公司

| 工程部<br>(签名) | 模具部<br>(签名) | 审核<br>(签名) | 年、月、日<br>(年月日) | 料号 |  | 产品图      |
|-------------|-------------|------------|----------------|----|--|----------|
| 谢东          |             |            |                |    |  | M695保险丝型 |